Aquaculture 280 (2008) 278–280

Contents lists available at ScienceDirect

Aquaculture

journal homepage: www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 280

Vol. 280 Nos. 1–4 **1 August 2008**

Letter to the Editors

Confirmation of the right to refuse revision in the genus *Penaeus*
T.W. Flegel 1

Review Articles

A review of cyanobacterial odorous and bioactive metabolites: Impacts and management alternatives in aquaculture
J.L. Smith, G.L. Boyer (Syracuse, NY, USA) and P.V. Zimba (Stoneville, MS, USA) 5

The role of phospholipids in nutrition and metabolism of teleost fish
D.R. Tocher (Stirling, Scotland, United Kingdom), E.Å. Bendiksen, P.J. Campbell (Trondheim, Norway) and J.G. Bell (Stirling, Scotland, United Kingdom) 21

Diseases

Parasites, pathological conditions and mortality in QX-resistant and wild-caught Sydney rock oysters, *Saccostrea glomerata*
T.J. Green (QLD, Australia), B.J. Jones (N Beach, WA, Australia), R.D. Adlard (South Bank, Qld, Australia) and A.C. Barnes (QLD, Australia) 35

Effects of dietary live yeast *Debaryomyces hansenii* on the immune and antioxidant system in juvenile leopard grouper *Mycteroperca rosacea* exposed to stress
M. Reyes-Becerril, D. Tovar-Ramírez, F. Ascencio-Valle, R. Civera-Cerecedo, V. Gracia-López (La Paz, Mexico) and V. Barbosa-Solomieu (Fort Collins, CO, USA) 39

Osmoregulatory balance in Murray cod, *Maccullochella peelii peelii* (Mitchell), affected with chronic ulcerative dermatopathy
A.G. Schultz, J.M. Healy (Geelong, Australia), P.L. Jones (Warrnambool, Australia) and T. Toop (Geelong, Australia) 45

Evaluation of testing strategies for infectious salmon anaemia and implications for surveillance and control programs
P. Nérette, L. Hammell, I. Dohoo (Charlottetown, PEI-Canada) and I. Gardner (Davis, CA, USA) 53

Comparative analysis of genome of *Edwardsiella tarda* by BOX-PCR and PCR-ribotyping
N.K. Maiti, A. Mandal, S. Mohanty and M. Samanta (Bhubaneswar, India) 60

Laboratory transmission studies of QPX disease in the hard clam: Interactions between different host strains and pathogen isolates
S.F. Dahl, M. Perrigault and B. Allam (Stony Brook, NY, United States) 64

Genetics

Unanticipated departures from breeding designs can be detected using microsatellite DNA parentage analyses
A.K. Gray, J.J. Joyce and A.C. Wertheimer (Juneau, Alaska, USA) 71

Breeding and trial cultivation of Dongfang No. 3, a hybrid of *Laminaria* gametophyte clones with a more than intraspecific but less than interspecific relationship
X. Li (Yantai, Qingdao, PR China), J. Liu, Y. Cong, S. Qu, Z. Zhang, H. Dai, S. Luo, X. Han, S. Huang, Q. Wang, G. Liang, J. Sun, Y. Jin, D. Wang (Yantai, PR China) and G. Yang (Qingdao, PR China) 76

Centromere-linkage in the turbot (*Scophthalmus maximus*) through half-tetrad analysis in diploid meiogynogenetics
P. Martínez, M. Hermida, B.G. Pardo, C. Fernández, J. Castro (Lugo, Spain), R.M. Cal (Vigo, Spain), J.A. Álvarez-Dios, A. Gómez-Tato (Santiago de Compostela, Spain) and C. Bouza (Lugo, Spain) 81

Identification of differential broodstock contribution affecting genetic variability in hatchery stocks of Atlantic salmon (*Salmo salar*)
J.L. Horreo, G. Machado-Schiaffino (Oviedo, Spain), A. Griffiths (Exeter, UK), D. Bright (England, UK), J. Stevens (Exeter, UK) and E. Garcia-Vazquez (Oviedo, Spain) 89

Husbandry and Management

Energy and resource consumption of land-based Atlantic salmon smolt hatcheries in the Pacific Northwest (USA)
J. Colt (Seattle, WA, USA), S. Summerfelt (Sheperdstown, WV, USA), T. Pfeiffer (Fort Pierce, FL, USA), S. Fivelstad (Bergen, Norway) and M. Rust (Seattle, WA, USA) . . . 94
Strain-specific vital rates in four *Acartia tonsa* cultures, I: Strain origin, genetic differentiation and egg survivorship
G. Drillet (Charlottenlund, Roskilde, Denmark), E. Goetze (Charlottenlund, Denmark), P.M. Jepsen, J.K. Højgaard and B.W. Hansen (Roskilde, Denmark) . . . 109
C/N ratio control and substrate addition for periphyton development jointly enhance freshwater prawn *Macrobrachium rosenbergii* production in ponds
M. Asaduzzaman, M.A. Wahab (Mymensingh, Bangladesh), M.C.J. Verdegem (AH Wageningen, The Netherlands), S. Huque, M.A. Salam and M.E. Azim (Mymensingh, Bangladesh) . . . 117
Salinity effects on reproduction of giant freshwater prawn *Macrobrachium rosenbergii* (de Man)
P.T. Yen and A.N. Bart (Pathumthani, Thailand) . . . 124
Rapid and non-invasive measurements of fat and pigment concentrations in live and slaughtered Atlantic salmon (*Salmo salar* L.)
A. Folkestad, J.P. Wold, K.-A. Rørvik (Ås, Norway), J. Tschudi, K.H. Haugholt (OSLO, Norway), K. Kolstad and T. Mørkøre (Ås, Norway) . . . 129
Effects of fasting on the meat quality and antioxidant defenses of market-size farmed large yellow croaker (*Pseudosciaena crocea*)
X.-D. Zhang, Y.-F. Zhu (Hangzhou, Ningbo, PR China), L.-S. Cai (Ningbo, PR China) and T.-X. Wu (Hangzhou, PR China) . . . 136
Lactobacillus spp. bacteria as probiotics in gilthead sea bream (*Sparus aurata*, L.) larvae: Effects on growth performance and digestive enzyme activities
C. Suzer, D. Ċoban, H.O. Kamaci, Ş. Saka, K. Firat (Izmir, Turkey), Ö. Otgucuoğlu and H. Küċüksari (Aydn, Turkey) . . . 140
Long-term separate and combined effects of environmental hypercapnia and hyperoxia in Atlantic salmon (*Salmo salar* L.) smolts
C.D. Hosfeld, A. Engevik, T. Mollan, T.M. Lunde, R. Waagbø, A.B. Olsen, O. Breck, S. Stefansson and S. Fivelstad (Bergen, Norway) . . . 146
Olive barb, *Puntius sarana* (Hamilton) is a potential candidate species for introduction into the grow-out carp polyculture system
J. Jena, P.C. Das, S. Kar and T.K. Singh (Bhubaneswar, India) . . . 154
Rearing performance of *Clarias batrachus* larvae: Effect of age at stocking on growth and survival during fingerling production
S.K. Sahoo, S.S. Giri and S. Chandra (Bhubaneswar, India) . . . 158

Nutrition

Effect of two artificial wet diets agglutinated with gelatin on feed and growth performance of common octopus (*Octopus vulgaris*) sub-adults
D. Quintana (Huelva, Tenerife, Spain), P. Domingues and S. García (Huelva, Spain) . . . 161
RRR-α-Tocopheryl succinate is a less bioavailable source of vitamin E than *all-rac*-α-tocopheryl acetate for red drum, *Sciaenops ocellatus*
P. Li, X. Wang and D.M. Gatlin III (College Station, Texas, United States) . . . 165
Comparison of effects of vegetable oils blended with southern hemisphere fish oil and decontaminated northern hemisphere fish oil on growth performance, composition and gene expression in Atlantic salmon (*Salmo salar* L.)
J. Pratoomyot (Stirling, Scotland, United Kingdom), E.Å. Bendiksen (Trondheim, Norway), J.G. Bell and D.R. Tocher (Stirling, Scotland, United Kingdom) . . . 170
Effects of dietary protein and energy levels on spawning performance of Nile tilapia (*Oreochromis niloticus*) broodstock in a recycling system
A.-F.M. El-Sayed (Alexandria, Egypt) and M. Kawanna (Al Ain, United Arab Emirates) . . . 179
Evaluation of commercial live bakers' yeast, *Saccharomyces cerevisiae* as a growth and immunity promoter for Fry Nile tilapia, *Oreochromis niloticus* (L.) challenged *in situ* with *Aeromonas hydrophila*
M. Abdel-Tawwab, A.M. Abdel-Rahman and N.E.M. Ismael (Sharqia, Egypt) . . . 185
Natural carbon stable isotope ratios as indicators of the relative contribution of live and inert diets to growth in larval Senegalese sole (*Solea senegalensis*)
J. Gamboa-Delgado (Wales, UK), J.P. Cañavate, R. Zerolo (Cádiz, Spain) and L. Le Vay (Wales, UK) . . . 190
Taurine is an essential nutrient for yellowtail *Seriola quinqueradiata* fed non-fish meal diets based on soy protein concentrate
S. Takagi (Ehime, Japan), H. Murata (Miyazaki, Japan), T. Goto (Shizuoka, Japan), M. Endo (Tokyo, Japan), H. Yamashita (Ehime, Japan) and M. Ukawa (Tokyo, Japan) . . . 198
Estimation of dietary copper requirement of juvenile soft-shelled turtles, *Pelodiscus sinensis*
G.-S. Wu and C.-H. Huang (Chiayi, Taiwan) . . . 206
Feeding and gut evacuation of cultured juvenile spiny lobsters, *Jasus edwardsii*
C.J. Simon (Wellington, Warkworth, New Zealand) and A. Jeffs (Warkworth, New Zealand) . . . 211

Physiology and Endocrinology

Effects of photoperiod on egg production and hatching success, naupliar and copepodite development, adult sex ratio and life expectancy of the tropical calanoid copepod *Acartia sinjiensis*
T. Camus and C. Zeng (Townsville, Queensland, Australia) . . . 220
The effect of temperature on the growth, survival and food consumption of the east coast rock lobster *Panulirus homarus rubellus*
J.O.G. Kemp and P.J. Britz (Grahamstown, South Africa) . . . 227
The acute stress response in fed and food deprived Atlantic cod, *Gadus morhua* L.
R.E. Olsen (Matredal, Norway), K. Sundell (Göteborg, Sweden), E. Ringø (Matredal, Norway), R. Myklebust, G.-I. Hemre (Bergen, Norway), T. Hansen (Matredal, Norway) and Ø. Karlsen (Storebø, Norway) . . . 232
Methyl farnesoate inhibition of late stage ovarian development and fecundity reduction in the black tiger prawn, *Penaeus monodon*
G. Marsden (Brisbane, Qld, Australia), D. Hewitt, E. Boglio (Woorim, Qld, Australia), P. Mather and N. Richardson (Brisbane, Qld, Australia) . . . 242

The isolation and characterization of myostatin gene in Japanese flounder (*Paralichthys olivaceus*): Ubiquitous tissue expression and developmental specific regulation
Q. Zhong, Q. Zhang, Y. Chen, Y. Sun, J. Qi, Z. Wang, S. Li, C. Li and X. Lan (Qingdao, PR China) 247
Evaluation of hemato-immunological parameters during the reproductive cycle of the scallop *Nodipecten nodosus* in association with a carotenoid-enriched diet
D.D. Schleder, M. Kayser (Florianopólis, Brazil), S. Sühnel, J.F. Ferreira (Brazil), G.S. Rupp and M.A. Barracco (Florianópolis, Brazil) . . . 256

Short Communications
Broad snouted caiman (*Caiman latirostris*) growth under different rearing densities
G.L. Poletta, A. Larriera and P.A. Siroski (Santa Fe, Argentina) 264
Effects of emulsified versus saline administration of GnRHa on induction of ovulation in rainbow trout, *Oncorhynchus mykiss*
A. Vazirzadeh, A. Hajimoradloo (Gorgan, Iran), H.R. Esmaeili and M. Akhlaghi (Shiraz, Iran) 267
Ultrastructural alteration of lymphocytes in spleen and pronephros of grass carp (*Ctenopharyngodon idella*) experimentally exposed to microcystin-LR
L.L. Wei, B.J. Sun and P. Nie (Wuhan, PR China) 270

Erratum to "Effect of feeding intensity and feed composition on nutrient digestibility and production performances of common pandora (*Pagellus erythrinus*) in sea cages" [Aquaculture 272 (2007) 514–527]
K. Kousoulaki (Elliniko, Athens, Greece), E. Miliou (Iera Odos, Greece), M. Apostolopoulou (Athens, Greece) and M.N. Alexis (Elliniko, Greece) 276
Corrigendum to "The use of linear regression to predict digestible protein and available amino acid contents of feed ingredients and diets for fish" [Aquaculture 278 (2008) 128–142]
J. Sales (Vodnany, Czech Republic) 277

Contents of *Aquaculture*, Volume 280 278